



# CERTIFICATE OF CONFORMITY

This is to certify that



## Cedarscreen Horizontal Weatherboards



### Product Description

Cedarscreen Horizontal Weatherboards are external horizontally fixed wall cladding systems consisting of either a bevelback or rusticated weatherboard, finished with a factory applied wood oil.

### Product Purpose or Use

The cladding systems are designed both as direct fix and cavity fixed systems suitable for use in residential and light commercial buildings

### Certificate Holder

#### Rosenfeld Kidson & Co. Ltd

NZBN: 9429040748870

513 Mt Wellington Highway  
Auckland NZ  
P: 09 573 0503

W: [www.rosenfeldkidson.co.nz/](http://www.rosenfeldkidson.co.nz/)

### Certification Body

#### CertMark International Pty Ltd

T/A CertMark New Zealand  
ABN: 80 111 217 568

JAS-ANZ Accreditation No. Z4450210AK  
PO Box 321 Tuakau 2121  
[www.CertMark.org](http://www.CertMark.org)

### Complies with the New Zealand Building Code:

1. NZBC Clause B1 Structure- B1.3.1, B1.3.2 & B1.3.3 (a), (h), (j) & (q).
2. NZBC Clause B2 Durability- B2.3.1 (b).
3. NZBC Clause E2 External Moisture- E2.3.2.
4. NZBC Clause F2 Hazardous Building Material- F2.3.1.

### Subject to the following Conditions & Limitations:

- a. Must be installed in accordance with Rosenfeld Kidson Horizontal Weatherboard Installation Brochures (V1 November 2014), Construction Details (V1 20/11/14) and fixing methods as detailed in Acceptable Solution E2/AS1.
- b. Scope of use conforms to Acceptable Solution E2/AS1 Paragraph 1.1.
- c. Has a risk score of 0-20 in line with Tables 1, 2 & 3 of Acceptable Solution E2/AS1.
- d. Timber framing to comply with NZS 3604:2011- Timber-framed buildings.
- e. Aluminium windows and door joinery to comply with NZS 4211:2008- Specification for performance of windows.
- f. This certification relates only the clauses of the NZBC as contained herein. Consequently any clause not included on this certificate are outside the scope of this Certificate.
- g. This certification relates only to the product that is described above, and has to be read, considered and used as a whole document — it may be considered misleading and will be incomplete to be selective.
- h. For further information contact the certificate holder.

  
**John Thorpe**  
CertMark International Pty Ltd

23/01/2015

Date of Issue

CMA-CM40131

Certificate Number

- This certificate is issued by an independent certification body accredited by the product certification accreditation body appointed by the Chief Executive of the Ministry of Business, Innovation & Employment (MBIE) under the Building Act 2004. MBIE does not in any way warrant, guarantee, or represent that the building method or product the subject of this certificate conforms to the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product. MBIE disclaims, to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages, and costs arising as a result of the use of the building method(s) or product(s) referred to in this certificate
- It is advised to check that this Certificate of Conformity is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the MBIE website, [www.mbie.govt.nz](http://www.mbie.govt.nz)
- This certificate may only be reproduced in its entirety.